



Literatur

1

Ausgabe 9
2007

Stammzellen nach Myokardinfarkt – was ist gesichert ?!

- 1) Engelhardt M et al. Plastizität adulter Stammzellen: Wunschtraum oder Realität? *Dtsch Ärzteblatt.* 2003;100:A3236-A3244.
- 2) Iten LB. Forelimb regeneration from different levels of amputation in the newt *N. viridescens*. Length, rate and stages. *Wilhelm Roux Arch Dev Biol.* 1973;173:263-82.
- 3) Reddien PW et al. Identification of genes needed for regeneration, stem cell function, and tissue homeostasis by systematic gene perturbation in planaria. *Dev Cell.* 2005;8:635-649.
- 4) Dimmeler S, Zeiher AM, Schneider MD. Unchain my heart: the scientific foundations of cardiac repair. *J Clin Invest.* 2005;115:572-583.
- 5) Murry CE, Field LJ, Menasche P. Cell-based cardiac repair: reflections at the 10-year point. *Circulation.* 2005;112:3174-3183.
- 6) Hill JM et al. Outcomes and risks of granulocyte colony-stimulating factor in patients with coronary artery disease. *J Am Coll Cardiol.* 2005;46:1643-1648.
- 7) Ince H et al. Prevention of left ventricular remodeling with granulocyte colony-stimulating factor after acute myocardial infarction: final 1-year results of the Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by Granulocyte Colony-Stimulating Factor (FIRSTLINE-AMI) Trial. *Circulation.* 2005;112:I173-I180.
- 8) Jorgensen E et al. In-stent neo-intimal hyperplasia after stem cell mobilization by granulocyte-colony stimulating factor Preliminary intracoronary ultrasound results from a double-blind randomized placebo-controlled study of patients treated with percutaneous coronary intervention for ST-elevation myocardial infarction (STEMMI Trial). *Int J Cardiol.* 2005.
- 9) Strauer BE et al. Repair of infarcted myocardium by autologous intracoronary mononuclear bone marrow cell transplantation in humans. *Circulation.* 2002;106:1913-1918.
- 10) Assmus B et al. Transplantation of Progenitor Cells and Regeneration Enhancement in Acute Myocardial Infarction (TOPCARE-AMI). *Circulation.* 2002;106:3009-3017.
- 11) Schächinger V et al. Transplantation of progenitor cells and regeneration enhancement in acute myocardial infarction: final one-year results of the TOPCARE-AMI Trial. *J Am Coll Cardiol.* 2004;44:1690-1699.
- 12) Britten MB et al. Infarct remodeling after intracoronary progenitor cell treatment inpatients with acute myocardial infarction (TOPCARE-AMI): mechanistic insights from serial contrast-enhanced magnetic resonance imaging. *Circulation.* 2003;108:2212-2218.
- 13) Schächinger V et al. Normalization of coronary blood flow in the infarct-related artery after intracoronary progenitor cell therapy: intracoronary Doppler substudy of the TOPCARE-AMI trial. *Clinical Res Cardiol.* 2006;95:13-22.
- 14) Schächinger V et al. Improved clinical outcome after intracoronary application of bone-marrow-derived-progenitor cells in acute myocardial infarction. Final 1-Year results of the REPAIR AMI trial. *Eur Heart J* 2006;27(23):2775-2783.
- 15) Kang HJ et al. Effects of intracoronary infusion of peripheral blood stem-cells mobilised with granulocyte-colony stimulating factor on left ventricular systolic function and restenosis after coronary stenting in myocardial infarction: the MAGIC cell randomised clinical trial. *Lancet.* 2004;363:751-756.
- 16) Bartunek J et al. Intracoronary injection of CD133-positive enriched bone marrow progenitor cells promotes cardiac recovery after recent myocardial infarction: feasibility and safety. *Circulation.* 2005;112:I178-I183.



- 17)** Wollert KC et al. *Intracoronary autologous bone-marrow cell transfer after myocardial infarction: the BOOST randomised controlled clinical trial.* Lancet. 2004;364:141-148.
- 18)** Schaefer A, Meyer GP, Fuchs M, Klein G, Kaplan M, Wollert KC and Drexler H. *Impact of intracoronary bone marrow cell transfer on diastolic function in patients after acute myocardial infarction: results from the BOOST trial.* Eur Heart J 27: 929-935, 2006
- 19)** Meyer GP, Wollert KC, Lotz J, Steffens J, Lippolt P, Fichtner S, Hecker H, Schaefer A, Arseniev L, Hertenstein B, Ganser A and Drexler H. *Intracoronary bone marrow cell transfer after myocardial infarction: eighteen months' follow-up data from the randomized, controlled BOOST (BOne marrOw transfer to enhance ST-elevation infarct regeneration) trial.* Circulation 113: 1287-1294, 2006.
- 20)** Janssens S et al. *Autologous bone marrow-derived stem-cell transfer in patients with ST-segment elevation myocardial infarction: double-blind, randomised controlled trial.* Lancet. 2006;367:113-121.
- 21)** Lunde, K. et al. *Intracoronary injection of mononuclear bone marrow cells in acute myocardial infarction* N Engl J Med 2006;355(12):1199-209.
- 22)** Schächinger, S. et al., *Intracoronary bone marrow-derived progenitor cells in acute myocardial infarction.* N Engl J Med 2006;355(12):1210-21.
- 23)** Schächinger V et al. *Bone marrow-derived progenitor cell therapy in need of proof-of-concept: design of the REPAIR-AMI trial.* Nature Clinical Practice Cardiovascular Medicine. 2006;3:23-8.
- 24)** Erbs et al. *Restoration of Microcircular function in the infarct-related artery by intracoronary application of bone marrow progenitor cells in patients with acute myocardial infarction. The „Dopper substudy“ of the REPAIR-AMI trial.* Circulation in press.
- 25)** Schaechinger V et al. *Improved clinical outcome after intracoronary administration of bone-marrow-derived progenitor cells in acute myocardial infarction: final 1-year results of the REPAIR-AMI trial.* Eur Heart J 2006;23:2775-83
- 26)** Seeger FH et al. *Cell isolation procedures matter: a comparison of different isolation protocols of bone marrow mononuclear cells used for cell therapy in patients with acute myocardial infarction.* Eur Heart J; 2007 28(6). 766-72.
- 27)** Heeschen C et al. *Profoundly reduced neovascularization capacity of bone marrow mononuclear cells derived from patients with chronic ischemic heart disease.* Circulation. 2004;109:1615-1622.
- 28)** Assmus B et al. *Transcoronary transplantation of progenitor cells after myocardial infarction.* N Engl J Med 2006, 355(12):1222-32
- 29)** Assmus B et. al. *Transkoronary transplantation of functionally competent BMC is associated with decrease in natriuretic peptide serum levels and improved survival of patients with chronic post infarction heart failure. Results of the Topcare-CHD Registry.* Circ. Research 2007; 100(8); 1234-1241.
- 30)** Fernandez-Aviles F et al. *Experimental and clinical regenerative capability of human bone marrow cells after myocardial infarction.* Circ.Res. 2004;95:742-748
- 31)** Ruan W et al. *Assessment of left ventricular segmental function after autologous bone marrow stem cells transplantation in patients with acute myocardial infarction by tissue tracking and strain imaging.* Chin Med.J (Engl.). 2005;118:1175-1181
- 32)** Chen SL et al. *Effect on left ventricular function of intracoronary transplantation of autologous bone marrow mesenchymal stem cell in patients with acute myocardial infarction.* Am.J Cardiol. 2004;94:92-95

Schaechinger = Schächinger