

## Transfusionsmedizin in den deutschen Feldlazaretten

1. Primrose A, Ryerson ES. The direct transfusion of blood: its value in haemorrhage and shock in the treatment of the wounded in war. Br Med J. 1916; 2: 384-386.
2. Kelly JF, Ritenour AE, McLaughlin, et al. Injury severity and cause of death from Operation Iraqi Freedom and Operation Enduring Freedom: 2003-2004 versus 2006. Anesth. Analg. 2009; 108: 759-769.
3. Holcomb J. Current perspective on combat casualty care. J Trauma 2004 (4): 990-1002.
4. Pohlman T, Walsh M, Aversa J. Damage Control Resuscitation, Blood Review 2015 Jul; 29(4): 251-262.
5. Lamb C, MacGoey P, Navarro AP, Brooks AJ. Damage control surgery in the era of damage control resuscitation. Br J Anaesth. 2014 Aug; 113(2): 242-9.
6. Simmons JW, Pittet, JF, Pierce B. Trauma-induced coagulopathy. Curr Anesthesiol Rep. 2014 Sept 1; 4(3): 189-199.
7. Young P, Cotton B, Goodnough L. Massive transfusion protocol for patients with substantial hemorrhage. Transfus Med Rev. 2011 Oct; 25(4): 293-303.
8. Kelly J, Ritenour A, McLaughlin D. Injury severity and causes of death from Operation Iraqi Freedom and Operation Enduring Freedom: 2003-2004 versus 2006. J.Trauma. 2008; 64(2 Suppl): 21-26.
9. Perkin J, Cap A, Weiss B, Reid T, Bolan C. Massive transfusion and nonsurgical hemostatic agents. Crit Care Med. 2008; 36(7 Suppl): 325-339.
10. Shiler K, Napolitano L. Complications of massive transfusion. Chest. 2010; 137: 209-220.
11. Hendsrickson J, Hillyer C. Noninfectious serious hazards of transfusion. Anesth Analg. 2009; 108: 759-769.
12. Meissner A, Schlenke P. Massive Transfusion. Transfus Med Hemother. 2012 Apr; 39(2): 73-84.
13. Wang D, Sun J, Solomon S, Klein H, Natanson C. Transfusion of older stored blood and risk of death: a meta-analysis. Transfusion 2011; 52 (6).
14. Shaz B, Winkler A, James A, Hillyere C, MacLeod J. Pathophysiology of early trauma induced coagulopathy: emerging evidence for hemodilution and coagulation factor depletuion. J Trauma 2011 Jun; 70(6) 1401-1407.
15. Frith D, Brohi K. The pathophysiology of trauma-induced coagulopathy. Current Opinion in Critical Care: 2012 December. (18): 631-636.
16. Davenport R, Brohi K. Cause of trauma-induced coagulopathy. Curr Opin Anesth 2016(29): 212-219.
17. Patil V, Shemahajan M. Massive transfusion and massive transfusion protocol. Indian J Anaesth. 2014 Sept-Oct; 58(5): 590-595.
18. Wijaya R, Cheng H, Chong C. The use of massive transfusion protocol for trauma and non-trauma patients in a civilian setting. Singapore Med J. 2016 May; 57(5): 238-241.
19. Nascimento B, Callum J, Rizoli S. Effect of a fixed-ratio (1:1:1) transfusion protocol versus laboratory-results-guided transfusion in patients with severe trauma. CMAJ. 2013 Sep 3; 185(12): 583-589.
20. Holcomb J, Tilley BC, et al. Transfusion of plasma, platelets and red blood cells in a 1:1:1 ratio vs a 1:1:2 ratio and mortality in patients with severe trauma. JAMA 2015 Feb 3; 313(5): 471-82.
21. Zur M, Gorenbein P et al. Freeze-dried plasma stability under prehospital field conditions. Transfusion 2019 Nov; 59(11): 3485-3490.
22. Tonglet M, Poplavsky J, Seidel L. Thromboelastometry in trauma care: a place in the 2018 Belgian health care system. Acta Clin Belg. 2018 Aug; 73(4): 244-250.
23. Godbey E, Schwartz J. Massive transfusion protocols and the use of tranexamic acid. Curr Poin Hematol. 2018 Nov; 25(6): 482-485.
24. Iau P, Ong V, Hartmann M. Use of activated recombinant use of activated recombinant factor VII in severe bleeding – evidence for efficacy and safety in trauma, postpartum hemorrhage, cardiac surgery, and gastrointestinal bleeding. Transfus Med Hemother. 2012 Apr; 39(2): 139-150.
25. Ho K, Tarn Y, Lin H. Permissive hypotensive resuscitation in patients with traumatic hemorrhagic shock. Scand J Trauma Resusc Emerg Med, 2019; 27: 14.
26. Stammers A, Murdock J, Klayman M, Trowbridge C, Yen B, Franklin D, Elmore J. Utllization of rapid-infuser devices for massive blood loss. Perfusion. 2005 Mar; 20(2): 65-69.