

Forschung in der Transfusionsmedizin und Deutschland: Stand und Perspektiven

- 1) N. Müller R, Eckstein H, Klüter H, Northoff. Forschung und Lehre in der Transfusionsmedizin. *Transfus Med Hemother* 2004;**31**(suppl 2):118–121.
- 2) Salama A, Berghöfer H, Mueller-Eckhardt C. Red blood cell transfusion in warm-type autoimmune haemolytic anaemia. *Lancet*. 1992 Dec 19-26;**340**(8834-8835):1515-7.
- 3) Wagner FF, Eicher NI, Jørgensen JR, Lonicer CB, Flegel WA. DNB: a partial D with anti-D frequent in Central Europe. *Blood*. 2002 Sep 15;**100**(6):2253-6.
- 4) Seltsam A, Agaylan A, Grueger D, Meyer O, Blasczyk R, Salama A. Rapid detection of JMH antibodies with recombinant Sema7A (CD108) protein and the particle gel immunoassay. *Transfusion*. 2008 Jun;**48**(6):1151-5. Epub 2008 Apr 14.
- 5) Avent ND, Martinez A, Flegel WA, Olsson ML, Scott ML, Nogués N, Písäcka M, Daniels G, van der Schoot E, Muñoz-Díaz E, Madgett TE, Storry JR, Beiboer SH, Maaskant-van Wijk PA, von Zabern I, Jiménez E, Tejedor D, López M, Camacho E, Cherou-
tre G, Hacker A, Jinoch P, Svobodova I, de Haas M. The BloodGen project: toward mass-scale comprehensive genotyping of blood donors in the European Union and beyond. *Transfusion*. 2007 Jul;**47**(1 Suppl):40S-6S. Review. No abstract available.
- 6) Flegel WA, von Zabern I, Wagner FF. Six years' experience performing RHD genotyping to confirm D- red blood cell units in Germany for preventing anti-D immunizations. *Transfusion*. 2009 Mar;**49**(3):465-71.
- 7) Flegel WA. A rewarding fresh look at routine blood group data. *Blood Transfus*. 2008 Oct;**6**(4):182-3. No abstract available.
- 8) Seltsam A, Blasczyk R. Recombinant blood group proteins for use in antibody screening and identification tests. *Curr Opin Hematol*. 2009 Nov;**16**(6):473-9. Review.
- 9) Kiefel V. The MAIPA assay and its applications in immunohaematology. *Transfus Med*. 1992 Sep;**2**(3):181-8.
- 10) Nguyen XD, Dugrillon A, Beck C, Kerowgan M, Klüter H. A novel method for simultaneous analysis of specific platelet antibodies: SASPA. *Br J Haematol*. 2004 Dec;**127**(5):552-60.
- 11) Socher I, Andrei-Selmer C, Bein G, Kroll H, Santoso S. Low-avidity HPA-1a alloantibodies in severe neonatal alloimmune thrombocytopenia are detectable with surface plasmon resonance. technology. *Transfusion*. 2009 May;**49**(5):943-52. Epub 2009 Jan 21.
- 12) Zimmermann R, Wittmann G, Zingsem J, Blasczyk R, Weisbach V, Eckstein R. Antibodies to private and public HLA class I epitopes in platelet recipients. *Transfusion*. 1999 Jul;**39**(7):772-80.
- 13) Greinacher A, Wesche J, Hammer E, Füll B, Völker U, Reil A, Bux J. Characterization of the human neutrophil alloantigen-3a. *Nat Med*. 2010 Jan;**16**(1):45-8. Epub 2009 Dec 27.
- 14) Ringwald J, Duerler T, Frankow O, Zimmermann R, Zingsem J, Strasser E, Antoon M, Eckstein R. Collection of hyperconcentrated platelets with Trima Accel. *Vox Sang*. 2006 Feb;**90**(2):92-6.
- 15) Klüter H, Müller-Steinhardt M, Danzer S, Wilhelm D, Kirchner H. Cytokines in platelet concentrates prepared from pooled buffy coats. *Vox Sang*. 1995;**69**(1):38-43.
- 16) Zingsem J, Strasser E, Ringwald J, Zimmermann R, Weisbach V, Eckstein R. Evaluation of a new apheresis system for the collection of leukoreduced single-donor platelets. *Transfusion*. 2007 Jun;**47**(6):987-94.
- 17) van Rhenen D, Gulliksson H, Cazenave JP, Pamphilon D, Ljungman P, Klüter H, Vermeij H, Kappers-Klunne M, de Greef G, Laforet M, et al.: Transfusion of pooled buffy coat platelet components prepared with photochemical pathogen inactivation treatment: the euroSPRITE trial. *Blood* 2003;**101**:2426-2433.
- 18) Schlenke P, Hergiv T, Isola H, Wiesel ML, Kientz D, Pinkoski L, Singh Y, Lin L, Corash L, Cazenave JP. Photochemical treatment of plasma with amotosalen and UVA light: process validation in three European blood centers. *Transfusion*. 2008 Apr;**48**(4):697-705. Epub 2008 Jan 7.
- 19) Mohr H, Steil L, Gravemann U, Thiele T, Hammer E, Greinacher A, Müller TH, Völker U. A novel approach to pathogen reduction in platelet concentrates using short-wave ultraviolet light. *Transfusion*. 2009 Aug 4. [Epub ahead of print]





- 20) Thiele T, Steil L, Gebhard S, Scharf C, Hammer E, Brigulla M, Lubenow N, Clemetson KJ, Völker U, Greinacher A. Profiling of alterations in platelet proteins during storage of platelet concentrates. *Transfusion*. 2007 Jul;**47(7)**:1221-33.
- 21) Sachs UJ, Reiter A, Walter T, Bein G, Woessmann W. Safety and efficacy of therapeutic early onset granulocyte transfusions in pediatric patients with neutropenia and severe infections. *Transfusion*. 2006 Nov;**46(11)**:1909-14.
- 22) Koch HM, Angerer J, Drexler H, Eckstein R, Weisbach V. Di(2-ethylhexyl)phthalate (DEHP) exposure of voluntary plasma and platelet donors. *Int J Hyg Envir Heal* 2005;**208(6)**:489-98.
- 23) Roth WK, Weber M, Seifried E. Feasibility and efficacy of routine PCR screening of blood donations for hepatitis C virus, hepatitis B virus, and HIV-1 in a blood-bank setting. *Lancet*. 1999 Jan 30;**353(9150)**:359-63.
- 24) Hourfar MK, Jork C, Schottstedt V, Weber-Schehl M, Brixner V, Busch MP, Geusendam G, Gubbe K, Mahnhardt C, Mayr-Wohlfart U, Pichl L, Roth WK, Schmidt M, Seifried E, Wright DJ; German Red Cross NAT Study Group. Experience of German Red Cross blood donor services with nucleic acid testing: results of screening more than 30 million blood donations for human immunodeficiency virus-1, hepatitis C virus, and hepatitis B virus. *Transfusion*. 2008 Aug;**48(8)**:1558-66. Epub 2008 May 6.
- 25) Schrezenmeier H, Walther-Wenke G, Müller TH, Weinauer F, Younis A, Holland-Letz T, Geis G, Asmus J, Bauerfeind U, Burkhart J, Deitenbeck R, Förstemann E, Gebauer W, Höchsmann B, Karakassopoulos A, Liebscher UM, Sängler W, Schmidt M, Schunter F, Sireis W, Seifried E. Bacterial contamination of platelet concentrates: results of a prospective multicenter study comparing pooled whole blood-derived platelets and apheresis platelets. *Transfusion*. 2007 Apr;**47(4)**:644-52.
- 26) Walther-Wenke G, Schrezenmeier H, Deitenbeck R, Geis G, Burkhart J, Höchsmann B, Sireis W, Schmidt M, Seifried E, Gebauer W, Liebscher UM, Weinauer F, Müller TH. Screening of platelet concentrates for bacterial contamination: spectrum of bacteria detected, proportion of transfused units, and clinical follow-up. *Ann Hematol*. 2009 May 30. [Epub ahead of print]
- 27) Pannicke U, Hönig M, Hess I, Friesen C, Holzmann K, Rump EM, Barth TF, Rojewski MT, Schulz A, Boehm T, Friedrich W, Schwarz K. Reticular dysgenesis (aleukocytosis) is caused by mutations in the gene encoding mitochondrial adenylate kinase 2. *Nat Genet*. 2009 Jan;**41(1)**:101-5. Epub 2008 Nov 30.
- 28) Schwarz K, Iolascon A, Verissimo F, Trede NS, Horsley W, Chen W, Paw BH, Hopfner KP, Holzmann K, Russo R, Esposito MR, Spano D, De Falco L, Heinrich K, Joggerst B, Rojewski MT, Perrotta S, Denecke J, Pannicke U, Delaunay J, Pepperkok R, Heimpel H. Mutations affecting the secretory COPII coat component SEC23B cause congenital dyserythropoietic anemia type II. *Nat Genet*. 2009 Aug;**41(8)**:936-40. Epub 2009 Jun 28.
- 29) Figueiredo C, Seltsam A, Blasczyk R. Permanent silencing of NKG2A expression for cell-based therapeutics. *J Mol Med*. 2009 Feb;**87(2)**:199-210. Epub 2008 Nov 11.
- 30) Hackstein H, Hecker M, Kruse S, Bohnert A, Ober C, Deichmann KA, Bein G. A novel polymorphism in the 5' promoter region of the human interleukin-4 receptor alpha-chain gene is associated with decreased soluble interleukin-4 receptor protein levels. *Immunogenetics*. 2001 May-Jun;**53(4)**:264-9.
- 31) Ottinger HD, Beelen DW, Grosse-Wilde H. What is the impact of HLA mismatches detected by high-resolution techniques on the outcome of unrelated donor bone marrow transplantation? *Bone Marrow Transplant*. 2005 Jun;**35(12)**:1211. No abstract available.
- 32) Hölig K, Kramer M, Kroschinsky F, Bornhäuser M, Mengling T, Schmidt AH, Rutt C, Ehninger G. Safety and efficacy of hematopoietic stem cell collection from mobilized peripheral blood in unrelated volunteers: 12 years of single-center experience in 3928 donors. *Blood*. 2009 Oct 29;**114(18)**:3757-63. Epub 2009 Aug 7.
- 33) Sputtek A. Cryopreservation of red blood cells and platelets. *Methods Mol Biol*. 2007;**368**:283-301. Review.
- 34) Rost S, Fregin A, Ivaskevicius V, Conzelmann E, Hörtnagel K, Pelz HJ, Lappegard K, Seifried E, Scharrer I, Tuddenham EG, Müller CR, Strom TM, Oldenburg J. Mutations in VKORC1 cause warfarin resistance and multiple coagulation factor deficiency type 2. *Nature*. 2004 Feb 5;**427(6974)**:537-41.
- 35) Schmitt A, Reinhardt P, Hus I, Tabarkiewicz J, Roliński J, Barth T, Giannopoulos K, Dmoszyńska A, Wiesneth M, Schmitt M. Large-scale generation of autologous dendritic cells for immunotherapy in patients with acute myeloid leukemia. *Transfusion*. 2007 Sep;**47(9)**:1588-94.





- 36) Strasser EF, Keller B, Hendelmeier M, Ringwald J, Zingsem J, Eckstein R. Short-term liquid storage of CD14+ monocytes, CD11c+, and CD123+ precursor dendritic cells produced by leukocytapheresis. *Transfusion*. 2007 Jul;**47(7)**:1241-9.
- 37) Tonn T, Herder C, Becker S, Seifried E, Grez M. Generation and characterization of human hematopoietic cell lines expressing factor VIII. *J Hematother Stem Cell Res*. 2002 Aug;**11(4)**:695-704.
- 38) Paine A, Oelke M, Blasczyk R, Eiz-Vesper B. Expansion of human cytomegalovirus-specific T lymphocytes from unfractionated peripheral blood mononuclear cells with artificial antigen-presenting cells. *Transfusion*. 2007 Nov;**47(11)**:2143-52.
- 39) Kocaoemer A, Kern S, Klüter H, Bieback K. Human AB serum and thrombin-activated platelet-rich plasma are suitable alternatives to fetal calf serum for the expansion of mesenchymal stem cells from adipose tissue. *Stem Cells*. 2007 May;**25(5)**:1270-8. Epub 2007 Jan 25.
- 40) Assmus B, Honold J, Schächinger V, Britten MB, Fischer-Rasokat U, Lehmann R, Teupe C, Pistorius K, Martin H, Abolmaali ND, Tonn T, Dimmeler S, Zeiher AM. Transcatheter transplantation of progenitor cells after myocardial infarction. *N Engl J Med*. 2006 Sep 21;**355(12)**:1222-32.
- 41) Greinacher A, Fendrich K, Alpen U, Hoffmann W. Impact of demographic changes on the blood supply: Mecklenburg-West Pomerania as a model region for Europe. *Transfusion*. 2007 Mar;**47(3)**:395-401.

