

Screening von Thrombozytenkonzentraten auf bakterielle Kontaminationen: Diagnostische Methoden und aktuelle Entwicklungen

- 1) Busch MP:
Transfusion-transmitted viral infections: building bridges to transfusion medicine to reduce risks and understand epidemiology and pathogenesis.
Transfusion 2006;**46**: 1624-1640.
- 2) Hourfar MK, Jork C, Schottstedt V, et al.:
Experience of German Red Cross blood donor services with nucleic acid testing: results of screening more than 30 million blood donations for human immunodeficiency virus-1, hepatitis C virus, and hepatitis B virus.
Transfusion 2008;**48**: 1558-1566.
- 3) Montag T:
Perspectives and limitations in the bacterial screening of platelet concentrates.
Journal of laboratory medicine 2006;**30**: 60-65.
- 4) Schrezenmeier H, Walther-Wenke G, Müller TH, et al.:
Bacterial contamination of platelet concentrates: results of a prospective multicenter study comparing pooled whole blood-derived platelets and apheresis platelets.
Transfusion 2007;**47**: 644-652.
- 5) Blut A: Votum 16:
Mindestanforderungen zur Sterilitätstestung von Blutkomponenten. B
undesgesundheitsblatt 1997;**8**: 307 - 309.
- 6) Blut A: Votum 43:
Mindestanforderungen an die mikrobiologische Kontrolle von Blutkomponenten zur Transfusion – Aktualisierung des Votums 16.
Bundesgesundheitsblatt 2013: 474-475.
- 7) Jacobs MR, Good CE, Lazarus HM, et al.:
Relationship between bacterial load, species virulence, and transfusion reaction with transfusion of bacterially contaminated platelets.
Clin Infect Dis 2008;**46**: 1214-1220.
- 8) Montag T:
Strategies of bacteria screening in cellular blood components.
Clin Chem Lab Med 2008;**46**: 926-932.
- 9) Montag T, Nicol SB, Schurig U, et al.:
Microbial safety of cell based medicinal products-what can we learn from cellular blood components?
Clin Chem Lab Med 2008;**46**: 963-965.
- 10) Blut A: Votum 38:
Festlegung der Haltbarkeitsfrist vom Thrombozytenkonzentraten mit dem Ziel der Reduktion lebensbedrohlicher septischer Transfusionsreaktionen durch bakterielle Kontaminationen.
Bundesgesundheitsblatt 2008;**51**: 1484.
- 11) Funk M, Günay S, Lohmann A:
Hämovigilanzbericht des Paul-Ehrlich-Instituts, www.pei.de/haemovigilanzbericht. 2014.
- 12) Brecher ME, Boothe G, Kerr A:
The use of a chemiluminescence-linked universal bacterial ribosomal RNA gene probe and blood gas analysis for the rapid detection of bacterial contamination in white cell-reduced and nonreduced platelets.
Transfusion 1993;**33**: 450-457.
- 13) Borosak M, Wood E:
Bacterial Pre-Release Testing of Platelets - the Australian Red Cross Blood Service Clinical Experience.
Transfus Med Hemother 2011;**38**: 239-241.

- 14) de Korte D:
10 Years Experience with Bacterial Screening of Platelet Concentrates in the Netherlands.
Transfus Med Hemother 2011;**38**: 251-254.
- 15) Eder AF, Kennedy JM, Dy BA, et al.:
Bacterial screening of apheresis platelets and the residual risk of septic transfusion reactions: the American Red Cross experience (2004-2006).
Transfusion 2007;**47**: 1134-1142.
- 16) Koopman MM, van't Ende E, Lieshout-Krikke R, et al.:
Bacterial screening of platelet concentrates: results of 2 years active surveillance of transfused positive cultured units released as negative to date.
Vox Sang 2009;**97**: 355-357.
- 17) Eder AF, Dy BA, Barton J, et al.:
The American Red Cross Hemovigilance Program: advancing the safety of blood donation and transfusion.
Immunohematology 2009;**25**: 179-185.
- 18) Fang CT, Chambers LA, Kennedy J, et al.:
Detection of bacterial contamination in apheresis platelet products: American Red Cross experience, 2004.
Transfusion 2005;**45**: 1845-1852.
- 19) te Boekhorst PA, Beckers EA, Vos MC, et al.:
Clinical significance of bacteriologic screening in platelet concentrates.
Transfusion 2005;**45**: 514-519.
- 20) Mohr H, Bayer A, Gravemann U, et al.:
Elimination and multiplication of bacteria during preparation and storage of buffy coat-derived platelet concentrates.
Transfusion 2006;**46**: 949-955.
- 21) Störmer M, Kleesiek K, Dreier J:
Propionibacterium acnes lacks the capability to proliferate in platelet concentrates.
Vox Sang 2008;**94**: 193-201.
- 22) Störmer M, Vollmer T:
Diagnostic methods for platelet bacteria screening: Current status and Developments.
Transfusion medicine and hemotherapy 2014;**41**: 19-27.
- 23) Sireis W, Ruster B, Daiss C, et al.:
Extension of platelet shelf life from 4 to 5 days by implementation of a new screening strategy in Germany.
Vox Sang 2011;**101**: 191-199.
- 24) Dreier J, Störmer M, Kleesiek K:
Real-time polymerase chain reaction in transfusion medicine: applications for detection of bacterial contamination in blood products.
Transfus Med Rev 2007;**21**: 237-254.
- 25) Mohammadi T, Pietersz RN, Vandenbroucke-Grauls CM, et al.:
Detection of bacteria in platelet concentrates: comparison of broad-range real-time 16S rDNA polymerase chain reaction and automated culturing.
Transfusion 2005;**45**: 731-736.
- 26) Vollmer T, Hinse D, Kleesiek K, et al.:
The Pan Genera Detection immunoassay: a novel point-of-issue method for detection of bacterial contamination in platelet concentrates.
J Clin Microbiol 2010;**48**: 3475-3481.

- 27) Vollmer T, Hinse D, Schottstedt V, et al.:
Inter-laboratory comparison of different rapid methods for the detection of bacterial contamination in platelet concentrates.
Vox Sang 2012;**103**: 1-9.
- 28) Dreier J, Vollmer T, Kleesiek K:
Novel flow cytometry-based screening for bacterial contamination of donor platelet preparations compared with other rapid screening methods.
Clin Chem 2009;**55**: 1492-1502.
- 29) Müller B, Walther-Wenke G, Kalus M, et al.:
Routine bacterial screening of platelet concentrates by flow cytometry and its impact on product safety and supply.
Vox Sang 2014.
- 30) Störmer M, Vollmer T, Kleesiek K, et al.:
Spore-forming organisms in platelet concentrates: a challenge in transfusion bacterial safety.
Transfus Med 2008;**18**: 371-376.
- 31) Palavecino EL, Yomtovian RA, Jacobs MR:
Bacterial contamination of platelets.
Transfus Apher Sci 2010;**42**: 71-82.
- 32) Heaton WA, Good CE, Galloway-Haskins R, et al.:
Evaluation of a rapid colorimetric assay for detection of bacterial contamination in apheresis and pooled random-donor platelet units.
Transfusion 2014;**54**: 1634-1641.
- 33) Vollmer T, Schottstedt V, Bux J, et al.:
Bacterial screening of platelet concentrates on day 2 and 3 with flow cytometry: the optimal sampling time point?
Blood Transfus 2014;**12**: 388-395.
- 34) Palavecino EL, Yomtovian RA, Jacobs MR:
Detecting bacterial contamination in platelet products.
Clin Lab 2006;**52**: 443-456.
- 35) Ramirez-Arcos S, Kou Y, Mastronardi C, et al.:
Bacterial screening of outdated buffy coat platelet pools using a culture system and a rapid immunoassay.
Transfusion 2011;**51**: 2566-2572.
- 36) Riedel S, Siwek G, Beekmann SE, et al.:
Comparison of the BACTEC 9240 and BacT/Alert blood culture systems for detection of bacterial contamination in platelet concentrates.
J Clin Microbiol 2006;**44**: 2262-2264.
- 37) Schmidt M, Karakassopoulos A, Burkhart J, et al.:
Comparison of three bacterial detection methods under routine conditions.
Vox Sang 2007;**92**: 15-21.
- 38) Dunne WM, Jr., Case LK, Isgriggs L, et al.:
In-house validation of the BACTEC 9240 blood culture system for detection of bacterial contamination in platelet concentrates.
Transfusion 2005;**45**: 1138-1142.
- 39) Savini V, Balbinot A, Giancola R, et al.:
Comparison between the BACTEC 9240 and the Pall eBDS system for detection of bacterial platelet concentrate contamination.
Transfusion 2009;**49**: 1217-1223.

- 40) Nanua S, Weber C, Isgriggs L, et al.:
Performance evaluation of the VersaTREK blood culture system for quality control testing of platelet units.
J Clin Microbiol 2009;**47**: 817-818.
- 41) Ezuki S, Kawabata K, Kanno T, et al.:
Culture-based bacterial detection systems for platelets: the effect of time prior to sampling and duration of incubation required for detection with aerobic culture.
Transfusion 2007;**47**: 2044-2049.
- 42) McDonald CP, Pearce S, Wilkins K, et al.:
Pall eBDS: an enhanced bacterial detection system for screening platelet concentrates.
Transfus Med 2005;**15**: 259-268.
- 43) Vollmer T, Dreier J, Schottstedt V, et al.:
Detection of bacterial contamination in platelet concentrates by a sensitive flow cytometric assay (BactiFlow): a multicentre validation study.
Transfus Med 2012;**22**: 262-271.
- 44) Vollmer T, Engemann J, Kleesiek K, et al.:
Bacterial screening by flow cytometry offers potential for extension of platelet storage: results of 14 months of active surveillance.
Transfus Med 2011;**21**: 175-182.
- 45) Garson JA, Patel P, McDonald C, et al.:
Evaluation of an ethidium monoazide-enhanced 16S rDNA real-time polymerase chain reaction assay for bacterial screening of platelet concentrates and comparison with automated culture.
Transfusion 2013.
- 46) Harm SK, Delaney M, Charapata M, et al.:
Routine use of a rapid test to detect bacteria at the time of issue for nonleukoreduced, whole blood-derived platelets. *Transfusion* 2013;**53**: 843-850.
- 47) Jacobs MR, Smith D, Heaton WA, et al.:
Detection of bacterial contamination in prestorage culture-negative apheresis platelets on day of issue with the Pan Genera Detection test.
Transfusion 2011;**51**: 2573-2582.
- 48) Yazer MH, Stapor D, Trulzi DJ:
Use of the RQI test for bacterial screening of whole blood platelets.
Am J Clin Pathol 2010;**133**: 564-568.