

Transfusionsmedizin in der Schweiz

- 1) Levy G, Byland C, Niederhauser C, Schwabe R, Senn M, Mansouri Taleghani B. :
Transfusion Medicine in Switzerland.
Transfus Med Hemother 2006;**33**:393-400.
- 2) http://www.weltblutspendetag.ch/_pdf/130026_BSD_JB_2012_Deutsch_web.pdf
- 3) <http://www.swissmedic.ch/marktueberwachung/00159/00160/00437/index.html?lang=de>
- 4) <https://sbsc-bsd.ch/DokuMan/DokumenteBSD/Allgemeines/tabid/107/language/de-CH/Default.aspx>
- 5) <http://www.swissmedic.ch/rechtstexte/00201/00203/index.html?lang=de>
- 6) <http://www.svtm-asmt.ch/p4.html>
- 7) <http://www.swissmedic.ch/marktueberwachung/00159/00160/00437/index.html?lang=de>

Welche Relevanz haben Isohämolysine in Pool-Thrombozytenkonzentraten?

- 1) *Gebrauchsinformation und Fachinformation Human-Thrombozytenkonzentrat PL-AD BSD/BRK (14.11.2012)*
- 2) *International Forum:
Transfusion of apheresis platelets and ABO groups.
Vox Sanguinis 88 (2005) 207-221*
- 3) *Karafin MS, Blagg L, Tobian AAR, King KE, Ness PM, Savage WJ:
ABO antibody titers are not predictive of hemolytic reactions due to plasma-incompatible platelet transfusions.
Transfusion 52 (2012) 2087-2093*

Patient Blood Management

- 1) Hebert PC, Wells G, Blajchman MA, Marshall J, Martin C, Pagliarello G, Tweeddale M, Schweitzer I, Yetisir E:
A multicenter, randomized, controlled clinical trial of transfusion requirements in critical care. Transfusion Requirements in Critical Care Investigators, Canadian Critical Care Trials Group. N Engl J Med 1999; 340(6):409-417.
- 2) Lin DM, Murphy LS, Tran MH:
Use of prothrombin complex concentrates and fibrinogen concentrates in the perioperative setting: a systematic review. Transfus Med Rev 2013; 27(2):91-104.