

Intrauterine fetale Transfusionen Intrauterine Transfusion von Erythrozyten

- 1) Liley AW.
Intrauterine transfusion of foetus in hæmolytic disease.
Br Med J 1963; **2**:1107.
- 2) Rodeck CH, Kemp JR, Holman CA, et al.
Direct intravascular fetal blood transfusion by fetoscopy in severe Rhesus isoimmunisation.
Lancet 1981; **1**:625.
- 3) Nicolaides KH, Soothill PW, Clewell WH, et al.
Fetal haemoglobin measurement in the assessment of red cell isoimmunisation.
Lancet 1988; **1**:1073.
- 4) Mari G, Deter RL, Carpenter RL, et al.
Noninvasive diagnosis by Doppler ultrasonography of fetal anemia due to maternal red-cell alloimmunization. Collaborative Group for Doppler Assessment of the Blood Velocity in Anemic Fetuses.
N Engl J Med 2000; **342**:9.
- 5) von Kaisenberg CS, Jonat W.
Fetal parvovirus B19 infection.
Ultrasound Obstet Gynecol 2001; **18**:280.
- 6) Carr S, Rubin L, Dixon D, et al.
Intrauterine therapy for homozygous alpha-thalassemia.
Obstet Gynecol 1995; **85**:876.
- 7) Ng PC, Fok TF, Lee CH, et al.
Is homozygous alpha-thalassaemia a lethal condition in the 1990s?
Acta Paediatr 1998; **87**:1197.
- 8) Hayward A, Ambruso D, Battaglia F, et al.
Microchimerism and tolerance following intrauterine transplantation and transfusion for alpha-thalassemia-1.
Fetal Diagn Ther 1998; **13**:8.
- 9) Wang C, Ryan G.
Transfusion medicine illustrated: Intrauterine transfusion for homozygous alpha(0) thalassemia reverses hydrops fetalis.
Transfusion 2009; **49**:1043.
- 10) Remacha AF, Badell I, Pujol-Moix N, et al.
Hydrops fetalis-associated congenital dyserythropoietic anemia treated with intrauterine transfusions and bone marrow transplantation.
Blood 2002; **100**:356.
- 11) Ogburn PL Jr, Ramin KD, Danilenko-Dixon D, et al.
In utero erythrocyte transfusion for fetal xerocytosis associated with severe anemia and non-immune hydrops fetalis.
Am J Obstet Gynecol 2001; **185**:238.
- 12) Quarello E, Stirnemann J, Nassar M, et al.
Outcome of anaemic monochorionic single survivors following early intrauterine rescue transfusion in cases of feto-fetal transfusion syndrome.
BJOG 2008; **115**:595.
- 13) Quarello E, Stirnemann J, Nassar M, et al.
Outcome of anaemic monochorionic single survivors following early intrauterine rescue transfusion in cases of feto-fetal transfusion syndrome. *BJOG* 2008; **115**:595.

- 14) Viëtor HE, Kanhai HH, Brand A.
Induction of additional red cell alloantibodies after intrauterine transfusions.
Transfusion 1994; **34**:970.
- 15) Schonewille H, Klumper FJ, van de Watering LM, et al.
High additional maternal red cell alloimmunization after Rhesus- and K-matched intrauterine intravascular transfusions for hemolytic disease of the fetus.
Am J Obstet Gynecol 2007; **196**:143.e1.
- 16) Watson WJ, Wax JR, Miller RC, Brost BC.
Prevalence of new maternal alloantibodies after intrauterine transfusion for severe Rhesus disease.
Am J Perinatol 2006; **23**:189.
- 17) el-Azeem SA, Samuels P, Rose RL, et al.
The effect of the source of transfused blood on the rate of consumption of transfused red blood cells in pregnancies affected by red blood cell alloimmunization.
Am J Obstet Gynecol 1997; **177**:753.
- 18) Dodd JM, Windrim RC, van Kamp IL.
Techniques of intrauterine fetal transfusion for women with red-cell isoimmunisation for improving health outcomes.
Cochrane Database Syst Rev 2012; **9**:CD007096.
- 19) Harman CR, Bowman JM, Manning FA, Menticoglou SM.
Intrauterine transfusion--intraperitoneal versus intravascular approach: a case-control comparison.
Am J Obstet Gynecol 1990; **162**:1053.
- 20) Lewis M, Bowman JM, Pollock J, Lowen B.
Absorption of red cells from the peritoneal cavity of an hydropic twin.
Transfusion 1973; **13**:37.
- 21) Creasman WT, Duggan ER, Lund CJ.
Absorption of transfused chromium-labeled erythrocytes from the fetal peritoneal cavity in hydrops fetalis.
Am J Obstet Gynecol 1966; **94**:586.
- 22) Taylor WW, Scott DE, Pritchard JA.
Fate of compatible adult erythrocytes in the fetal peritoneal cavity.
Obstet Gynecol 1966; **28**:175.
- 23) Westgren M, Selbing A, Stangenberg M.
Fetal intracardiac transfusions in patients with severe rhesus isoimmunisation.
Br Med J (Clin Res Ed) 1988; **296**:885.
- 24) Weiner CP, Wenstrom KD, Sipes SL, Williamson RA.
Risk factors for cordocentesis and fetal intravascular transfusion.
Am J Obstet Gynecol 1991; **165**:1020.
- 25) Van Kamp IL, Klumper FJ, Oepkes D, et al.
Complications of intrauterine intravascular transfusion for fetal anemia due to maternal red-cell alloimmunization.
Am J Obstet Gynecol 2005; **192**:171.
- 26) Nicolini U, Santolaya J, Ojo OE, et al.
The fetal intrahepatic umbilical vein as an alternative to cord needling for prenatal diagnosis and therapy.
Prenat Diagn 1988; **8**:665.
- 27) Giannakouloupoulos X, Sepulveda W, Kourtis P, et al.
Fetal plasma cortisol and beta-endorphin response to intrauterine needling.
Lancet 1994; **344**:77.

- 28) Moise KJ Jr, Carpenter RJ Jr, Kirshon B, et al.
Comparison of four types of intrauterine transfusion: effect on fetal hematocrit.
Fetal Ther 1989; **4**:126.
- 29) Nicolini U, Kochenour NK, Greco P, et al.
When to perform the next intra-uterine transfusion in patients with Rh allo-immunization: combined intravascular and intraperitoneal transfusion allows longer intervals.
Fetal Ther 1989; **4**:14.
- 30) Fox C, Martin W, Somerset DA, et al.
Early intraperitoneal transfusion and adjuvant maternal immunoglobulin therapy in the treatment of severe red cell alloimmunization prior to fetal intravascular transfusion.
Fetal Diagn Ther 2008; **23**:159.
- 31) Forestier F, Daffos F, Catherine N, et al.
Developmental hematopoiesis in normal human fetal blood.
Blood 1991; **77**:2360.
- 32) Dildy GA 3rd, Smith LG Jr, Moise KJ Jr, et al.
Porencephalic cyst: a complication of fetal intravascular transfusion.
Am J Obstet Gynecol 1991; **165**:76.
- 33) Drew JH, Guaran RL, Cichello M, Hobbs JB.
Neonatal whole blood hyperviscosity: the important factor influencing later neurologic function is the viscosity and not the polycythemia.
Clin Hemorheol Microcirc 1997; **17**:67.
- 34) Mandelbrot L, Daffos F, Forestier F, et al.
Assessment of fetal blood volume for computer-assisted management of in utero transfusion.
Fetal Ther 1988; **3**:60.
- 35) Bowman JM.
The management of Rh-Isoimmunization.
Obstet Gynecol 1978; **52**:1.
- 36) Canlorbe G, Macé G, Cortey A, et al.
Management of very early fetal anemia resulting from red-cell alloimmunization before 20 weeks of gestation.
Obstet Gynecol 2011; **118**:1323.
- 37) Lobato G, Soncini CS.
Fetal hydrops and other variables associated with the fetal hematocrit decrease after the first intrauterine transfusion for red cell alloimmunization.
Fetal Diagn Ther 2008; **24**:349.
- 38) Mari G, Detti L, Oz U, et al.
Accurate prediction of fetal hemoglobin by Doppler ultrasonography.
Obstet Gynecol 2002; **99**:589.
- 39) Scheier M, Hernandez-Andrade E, Fonseca EB, Nicolaides KH.
Prediction of severe fetal anemia in red blood cell alloimmunization after previous intrauterine transfusions.
Am J Obstet Gynecol 2006; **195**:1550.
- 40) Mari, G, Zimmerman, R, Segata, M.
Am J Obstet Gynecol 2005; **191**:S149.

- 41) Trevett TN Jr, Dorman K, Lamvu G, Moise KJ Jr.
Antenatal maternal administration of phenobarbital for the prevention of exchange transfusion in neonates with hemolytic disease of the fetus and newborn.
Am J Obstet Gynecol 2005; **192**:478.
- 42) Watts DH, Luthy DA, Benedetti TJ, et al.
Intraperitoneal fetal transfusion under direct ultrasound guidance.
Obstet Gynecol 1988; **71**:84.
- 43) Van Kamp IL, Klumper FJ, Oepkes D, et al.
Complications of intrauterine intravascular transfusion for fetal anemia due to maternal red-cell alloimmunization.
Am J Obstet Gynecol 2005; **192**:171.
- 44) Lindenburg IT, Smits-Wintjens VE, van Klink JM, et al.
Long-term neurodevelopmental outcome after intrauterine transfusion for hemolytic disease of the fetus/newborn: the LOTUS study.
Am J Obstet Gynecol 2012; **206**:141.e1.