

Genetische Typisierung von Erythrozytenantigenen bei Blutspendern

- 1) Hoeltge GA, Domen RE, Rybicki LA, Schaffer PA.
Multiple red cell transfusions and alloimmunizations: experience with 6996 antibodies detected in a total of 159,262 patients from 1985 to 1993.
Arch Pathol Lab Med 1995;**119**:42-45.
- 2) Perreault J, Lavoie J, Painchaud P, Côté M, Constanzo-Yanez J, Côté R, Delage G, Gendron F, Dubuc S, Caron B, Lemieux R, St-Louis M.
Set-up and routine use of a database of 10,555 genotyped blood donors to facilitate the screening of compatible blood components for alloimmunized patients.
Vox Sang. 2009 Jul;**97**(1):61-8. Epub 2009 Mar 16.
- 3) Storry JR.
New technologies to replace current blood typing reagents.
Curr Opin Hematol 2007;**14**:677-681.
- 4) Daniels G.
Human Blood Groups. 2nd ed. Oxford: Blackwell Science Ltd; 2002.
- 5) Reid ME, Lomas-Francis C.
Blood group antigen factsbook. 2nd ed. San Diego: Academic Press;2003.
- 6) Avent ND.
Blood groups: molecular genetic basis.
In: Encyclopedia of the human genome, Vol A1034, pp 35-43. London: Nature Publishing Group;2003.
- 7) Reid ME, Mohandas N. *Red blood cell blood group antigens: structure and function.*
Seminars in Hematology 2004;**41**:93-117.
- 8) Lee S.
Molecular basis of the Kell blood group phenotypes.
Vox Sang 1998;**74**:58.
- 9) Flegel WA, Wagner FF.
Molecular genetics of RH.
Vox Sang. 2000;**78 Suppl 2**:109-15.
- 10) Daniels G, Poole J, de Silva M., Callaghan T, MacLennan S, Smith N.
The clinical significance of blood group antibodies.
Transfusion Medicine, 2002, 12, 287-295.
- 11) Reesink HW, Engelfriet CP, Schennach H, et al.
Donors with rare pheno (geno) type.
Vox Sang 2008;**95**:236-53.
- 12) Chapman JF, Elliott C, Knowles SM, Milkins CE, Poole GD.
Guidelines for compatibility procedures in blood transfusion laboratories.
Transfusion Medicine 2004, 14, 59-73.
- 13) Reid ME.
Overview of molecular methods in immunohematology.
Transfusion 2007;**47**:10S-16S.

- 14) Seltsam A, Wagner FF, Salama A, Flegel WA.
Antibodies to high-frequency antigens may decrease the quality of transfusion support: an observational study.
Transfusion. 2003 Nov;**43**(11):1563-6.
- 15) Jungbauer C.
Molecular Bases and Genotyping for Rare Blood types.
Transfus Med Hemother 2009;**36**:213-218.
- 16) Wagner FF, Frohmajer A, Flegel WA.
RHD positive haplotypes in D negative Europeans.
BMC Genet. 2001;**2**:10. Epub 2001 Jul 16.
- 17) Flegel WA, von Zabern I, Wagner FF.
Six years' experience performing RHD genotyping to confirm D- red blood cell units in Germany for preventing anti-D immunizations.
Transfusion. 2009 Mar;**49**(3):465-71.
- 18) Ceppellini R.
In: la Malattia Emolitica del Neonato. Milano, 1952.
- 19) Li Q, Hou L, Guo ZH, Ye LY, Yue DQ, Zhu ZY.
Vox Sang. 2009 Aug;**97**(2):139-46.
- 20) Garratty G.
Do we need to be more concerned about weak D antigens?
Transfusion 2005;**45**:1547-1551.
- 21) Kumpel B.
Are weak D RBCs really immunogenic?
Transfusion 2006;**46**:1061-1062.
- 22) Lasalle-Williams M, Nuss R, Le T, Cole L, Hassell K, Murphy JR, Ambruso DR.
Extended red blood cell antigen matching for transfusions in sickle cell disease: a review of a 14-year experience from a single center (CME).
Transfusion. 2011 Aug;**51**(8):1732-9.
- 23) Daniels G, van der Schoot CE, Gassner C, Olsson ML.
Report of the third international workshop on molecular blood group genotyping.
Vox Sang. 2009 May;**96**(4):337-43. Epub 2009 Feb 10.
- 24) Veldhuisen B, van der Schoot CE, de Haas M.
Blood group genotyping: from patient to high-throughput donor screening.
Vox Sang. 2009 Oct;**97**(3):198-206. Epub 2009 Jun 22.
- 25) Avent ND.
Large-scale blood group genotyping – clinical implications.
Br J Haematol. 2009 Jan;**144**(1):3-13. Epub 2008 Oct 30.
- 26) Wu YY, Csako G.
Rapid and/or high-throughput genotyping for human red blood cell, platelet and leukocyte antigens, and forensic applications.
Clin Chim Acta. 2006 Jan;**363**(1-2):165-76. Epub 2005 Sep 9.
- 27) Wagner FF, Bittner R, Döscher A, Petershofen EK, Müller TH.
Mid-throughput blood group phenotype prediction by pooled capillary electrophoresis.
Transfus 2007; **47S**: SP391

- 28) Tax MG, van der Schoot CE, van Doorn R, Douglas-Berger L, van Rhenen DJ, Maaskant-vanWijk PA.
RHC and RHc genotyping in different ethnic groups.
Transfusion. 2002 May;**42**(5):634-44.
- 29) Jungbauer C, Hobel CM, Schwartz DW, Mayr WR.
High-throughput multiplex PCR genotyping for 35 red blood cell antigens in blood donors.
Vox Sang. 2012 Apr;**102**(3):234-42.
- 30) Ficko T, Galvani V, Ruprecht R, Dovc T, Rozman P.
Real-time PCR genotyping of human platelet alloantigens HPA-1, HPA-2, HPA-3 and HPA-5 is superior to the standard PCR-SSP method.
Transfus Med. 2004 Dec;**14**(6):425-32.
- 31) De Haas, van der Schoot CE, Beiboer SH, Freskens M, Cherroure G, Maaskant-Van Wijk PA.
Red blood cell and platelet genotyping: from current practice to future high-throughput donor typing.
Transfus Med Hemother 2006;**33**:260-266.
- 32) Ronaghi M, Karamohamed S, Pettersson B, Uhlén M, Nyrén P.
Real-time DNA sequencing using detection of pyrophosphate release.
Anal Biochem. 1996 Nov 1;**242**(1):84-9.
- 33) Hashmi G, Shariff T, Zhang Y, Cristobal J, Chau C, Seul M, Vissavajhala P, Baldwin C, Hue-Roye K, Charles-Pierre D, Lomas-Francis C, Reid ME.
Determination of 24 minor red blood cell antigens for more than 2000 blood donors by high-throughput DNA analysis.
Transfusion. 2007 Apr;**47**(4):736-47. Erratum in: *Transfusion*. 2007 May;**47**(5):952.
- 34) Avent ND, Martinez A, Flegel WA, Olsson ML, Scott ML, Nogués N, Písäcka M, Daniels G, van der Schoot E, Muñoz-Díaz E, Madgett TE, Story JR, Beiboer SH, Maaskant-van Wijk PA, von Zabern I, Jiménez E, Tejedor D, López M, Camacho E, Cheroute G, Hacker A, Jinoch P, Svobodova I, de Haas M.
The BloodGen project: toward mass-scale comprehensive genotyping of blood donors in the European Union and beyond.
Transfusion. 2007 Jul;**47**(1 Suppl):40S-6S.
- 35) Karpasitou K, Drago F, Crespiatico L, Paccapelo C, Truglio F, Frison S, Scalapogno M, Poli F.
Blood group genotyping for Jk(a)/Jk(b), Fy(a)/Fy(b), S/s, K/k, Kp(a)/Kp(b), Js(a)/Js(b), Co(a)/Co(b), and Lu(a)/Lu(b) with microarray beads.
Transfusion. 2008 Mar;**48**(3):505-12. Epub 2007 Dec 7.
- 36) Bugert P, McBride S, Smith G, Dugrillon A, Klüter H, Ouwehand WH, Metcalfe P.
Microarray-based genotyping for blood groups:
comparison of gene array and 5'-nuclease assay techniques with human platelet antigen as a model.
Transfusion. 2005 May;**45**(5):654-9.
- 37) Beiboer SH, Wieringa-Jelsma T, Maaskant-Van Wijk PA, Van der Schoot CE, Van Zwieten D, Roos D, Den Dunnen JT, De Haas M:
Rapid genotyping of blood group antigens by multiplex polymerase chain reaction and DNA microarray hybridization.
Transfusion 2005;**45**:667-679.
- 38) Denomme GA, Van Oene M:
High-throughput multiplex single-nucleotide polymorphism analysis for red cell and platelet antigen genotypes.
Transfusion 2005;**45**:660-666.
- 39) Montpetit A, Phillips MS, Mongrain I, Lemieux R, St-Louis M:
High-throughput molecular profiling of blood donors for minor red blood cell and platelet antigens.
Transfusion 2006;**46**:841-848.
- 40) Li Y, Finning K, Daniels G, Hahn S, Zhong X, Holzgreve W.
Noninvasive genotyping fetal Kell blood group (KEL1) using cell-free fetal DNA in maternal plasma by MALDI-TOF mass spectrometry.
Prenat Diagn. 2008 Mar;**28**(3):203-8.

- 41) St-Louis M, Perreault J, Lavoie J, Émond J, St-Laurent J, Long A, Richard M.
(Genotyping of 21,000 blood donors in Quebec and RHD analysis).
Transfus Clin Biol. 2010 Oct;**17(4)**:242-8. Epub 2010 Oct 20.
- 42) Hopp K, Weber K, Bellissimo D, Johnson ST, Pietz B.
H-throughput red blood cell antigen genotyping using a nanofluidic real-time polymerase chain reaction platform.
Transfusion 2010;**50(1)**:40–6.
- 43) Polin H, Danzer M, Pröll J, Hofer K, Heiling U, Zopf A, et al.
Introduction of a real-time-based blood-group genotyping approach.
Vox Sang 2008;**95(2)**:125–30.
- 44) Jungbauer C.
Routine use of DNA testing for red cell antigens in blood centres.
Transfus Apher Sci. 2011 Aug;**45(1)**:61-8.