

Transfusionsmedizinische Versorgung von Früh- und Neugeborenen

- 1) Bundesärztekammer (Hrsg):
Richtlinien zur Gewinnung von Blut und Blutbestandteilen und zur Anwendung von Blutprodukten (Hämotherapie)
Gesamtnovelle 2005 mit Richtlinienanpassung 2010
Deutscher Ärzteverlag Köln.
- 2) Bundesärztekammer (Hrsg):
Querschnittsleitlinien zur Therapie mit Blutkomponenten und Plasmaderivaten (2009)
Deutscher Ärzteverlag Köln.
- 3) British Committee for Standards in Haematology Transfusion Task Force:
Transfusion guidelines for neonates and older children
Br J Haematol 2004;**124**:433-453.
- 4) Josephson CD:
Neonatal and pediatric transfusion practice In: Roback JD, Combs MR, Grossman BJ, Hillyer CD (Hrsg):
Technical manual 16th edition
Bethesda, MD: AABB, 2008, 639-663.
- 5) Council of Europe, Committee of Ministers:
Guide to the preparation, use and quality assurance of blood components.
Recommendation No R(95), 15, 16th edn
Strasbourg, Council of Europe Publishing, 2010.
- 6) Strauss RG:
Data-driven blood banking practices for neonatal RBC transfusions
Transfusion 2000;**40**:1528-1540
- 7) Roseff SD, Luban NLC, Manno CS:
Guidelines for assessing appropriateness of pediatric transfusion
Transfusion 2002;**42**:1398-1413.
- 8) Luban NLC:
Neonatal red blood cell transfusions
Vox Sang 2004;**87**(Suppl.2):184-188.
- 9) Strauss RG:
How I transfuse red blood cells and platelets to infants with the anemia and thrombocytopenia of prematurity
Transfusion 2008;**48**:209-217.
- 10) Strauss RG:
Additive solutions and product age in neonatal red blood cell transfusion
In: Herman JH, Manno CS (Hrsg) Pediatric transfusion therapy
Bethesda, MD: AABB **2002**:129-145.
- 11) Strauss RG, Mock DM, Widness JA, Johnson K, Cress G, Schmidt RL:
Posttransfusion 24-hour recovery and subsequent survival of allogeneic red blood cells in the bloodstream of newborn infants
Transfusion 2004;**44**:871-876.
- 12) Murray NA, Roberts IAG:
Neonatal transfusion practice
Arch Dis Child Fetal Neonatal Ed 2004;**89**:F101-F107.

- 13) Roseff SD et al. (Hrsg):
Pediatric Transfusion: A Physician's Handbook Third Edition, Chapter: Blood components
Bethesda, MD: AABB 2009;1-33.
- 14) Luban NLC, Strauss RG, Hume HA:
Commentary on the safety of red cells preserved in extended-storage media for neonatal transfusions
Transfusion 1991;**31**:229-235.
- 15) Goodstein MH, Locke RG, Wlodarczyk D, Goldsmith LS, Rubenstein SD, Herman JH:
Comparison of two preservation solutions for erythrocyte transfusions in newborn infants
J Pediatr 1993;123:783-788.
- 16) Dani C, Perugi S, Benuzzi A, Corsini I, Brtini G, Pratesi S, Rubaltelli FE:
Effects of red blood cell transfusions during the first week of life on acid-base, glucose, and electrolytes in preterm neonates
Transfusion 2008;**48**:2302-2307.
- 17) Keidan I, Amir G, Mandel M, Mishali D:
The metabolic effects of fresh versus old stored blood in the priming of cardiopulmonary bypass solution for pediatric patients
J Thorac Cardiovasc Surg 2004;**127**:949-952.
- 18) Mou SS, Giroir BP, Molitor-Kirsch EA et al.: *Fresh whole blood versus reconstituted blood for pump priming in heart surgery in infants*
N Engl J Med 2004;**351**:1635-1644.
- 19) Bond J, O'Leary H, Williams M, Redmond M, Wood F, McMahon C:
Use of SAG-M-suspended red cell concentrate in large volume transfusion associated with cardiac surgery in neonates and infants: a retrospective audit (letter)
Transfus Med 2010;**20**:287-289.
- 20) *Admentments and corrections to the "Transfusion Guidelines for neonates and older children"*
www.bcsghguidelines.com.
- 21) Neppert J, Rejzek T:
Entfernen von Additivlösungen?
Infusionsther Transfusionsmed 1993;**20**:160.
- 22) *Gesetz über den Verkehr mit Arzneimitteln (Arzneimittelgesetz – AMG)*
BGBl I vom 12. Dezember 2005 S.3394.
- 23) New HV, Stanworth SJ, Engelfriet CP, Reesink HW et al.: *International Forum: Neonatal transfusions*
Vox Sang 2009;96:62-85.
- 24) Rühl H, Bein G, Sachs UJH:
Transfusion-associated Graft-versus-host disease
Transfus Med Rev 2009;**23**:62-71.
- 25) *Guidelines on the use of irradiated blood components prepared by the British Committee for Standards in Haematology blood transfusion task force*
Br J Haematol 2010;**152**:35-51.
- 26) King KE, Ness PM:
How do we prevent transfusion-associated graft versus-host-disease in children?
Transfusion 2011;**51**:916-920.
- 27) Zimmermann R, Wintzheimer S, Weisbach V, Strobel J, Zingsem J, Eckstein R:
Influence of prestorage leukoreduction and subsequent irradiation on in vitro red blood cell (RBC) storage variables of RBCs in additive solution aline-adenine-glucose-mannitol
Transfusion 2009;**49**:75-80.

-
- 28) Zimmermann R, Schoetz AM, Frisch A, Hauck B, Weiss D, Strobel J, Eckstein R:
Influence of late irradiation on the in vitro RBC storage variables of leucoreduced RBCs in SAGM additive solution
Transfusion 2011;**100**:279-284.
- 29) Hall, TL, Barnes A, Miller JR, Bethencourt DM, Nestor L:
Neonatal mortality following transfusion of red cells with high plasma potassium levels
Transfusion 1993;**33**:606-609.
- 30) Ramirez AM, Woodfield DG, Scott R, McLachan J, :
High potassium levels in stored irradiated blood (letter)
Transfusion 1987;**27**:444-445.
- 31) Rivet C, Baxter A, Rock G:
Potassium levels in irradiated blood (letter)
Transfusion 1989;**29**:185.
- 32) Avoy DR:
Potassium levels in irradiated blood (letter)
Transfusion 1990;**30**:764.
- 33) Rock GA:
Potassium levels in irradiated blood (reply to letter)
Transfusion 1990;**30**:764.
- 34) Strauss RG.:
Routinely washing irradiated cells before transfusion seems unwarranted
Transfusion 1990;**30**:675-677.
- 35) Martin I, Alcorta I, Baixeras L, Zarate J, Martinez F:
Transfusion of irradiated and stored red blood cells to neonates
Haematologica 2003;**88**:(5)ELT 16.
- 36) Strauss RG:
Red blood cell storage and avoiding hyperkalemia from transfusions to neonates and infants
Transfusion 2010;**50**:1862-1865.
- 37) Fung NK, Roseff SD, Vermoch KL:
Blood component preferences of transfusion services supporting infant transfusions: a university healthsystem consortium bench-marking study
Transfusion 2010;**50**:1921-1925.
- 38) Nance ST, Meny GM:
Compatibility issues in neonatal and pediatric transfusion
In: Herman JH, Manno CS (Hrsg) Pediatric transfusion therapy
Bethesda, MD: AABB **2002**:25-37.
- 39) DePalma L, Criss VR, Roseff SD, Luban NLC:
Presence of the red cell alloantibody anti-E in an 11-week-old infant
Transfusion 1992;**32**:177-179.
- 40) Maniatis A, Theodoris H, Aravani K;
Neonatal immune response to red cell antigens (letter)
Transfusion 1993;**33**:90-91.
- 41) Smith MR, Storey CG:
Allo-anti-E in an 18-day-old infant (letter)
Transfusion 1984;**24**:540.

- 42) Haspel RI, Waslh L, Sloan SR:
Platelet transfusion in an infant leading to formation of an anti-D: implications for immunoprophylaxis
Transfusion 2004;**44**:747-749.
- 43) Strauss RG:
Selection of white cell-reduced blood components for transfusions during early infancy
Transfusion 1993;**33**:352-357.
- 44) Strauss RG, Johnson K, Cress G, Cordle DG:
Alloimmunization in preterm infants after repeated transfusions of WBC-reduced RBCs from the same donor
Transfusion 2000;**40**:1463-1468.
- 45) Roseff SD: Neonatal transfusion practice:
Should our policies mature with our patients?
Transfusion 2011;**51**:908-913.
- 46) Moroff G, Luban NLC:
The irradiation of blood and blood components to prevent graft-versus-host disease: Technical issues and guidelines
Transf Med Rev 1997;**11**:15-26.
- 47) Chambers, LA: *Transfusion of plasma and platelets to neonates*
In: Herman JH, Manno CS (Hrsg) Pediatric transfusion therapy
Bethesda, MD: AABB **2002**:93-108.
- 48) Walther-Wenke G et al.:
Monitoring bacterial contamination of blood components in Germany: effect of contamination reduction measures
Vox Sang 2011;**100**:359-366
- 49) Harris SB, Josephson CD, Kost CB, Hillyer D:
Nonfatal intravascular hemolysis in paediatric patient after transfusion of a platelet unit with high-titer anti-A
Transfusion 2007;**47**:1412-1417.
- 50) Pietersz RNI, Engelfriet CP, Reesink HW et al. International forum:
Transfusion of apheresis platelets and ABO groups
Vox Sang 2005;**88**:207-221.
- 51) Quillen K, Sheldon SL, Daniel-Johnson JA, Lee-Stroka AH, Flegel WA:
A practical strategy to reduce the risk of passive hemolysis by screening plateletpheresis donors for high-titer ABO antibodies
Transfusion 2011;**51**:92-96.
- 52) Davoren A, Curtis BR, Aster RH, McFarland JG:
Human platelet antigen-specific alloantibodies implicated in 1162 cases of neonatal alloimmune thrombocytopenia
Transfusion 2004;**44**:1220-1225.
- 53) Kiefel V, Bassler D, Kroll H, Paes B, Giers G, Ditonasso J, Alber H, Berns M, Wiebe B, Quenzel EM, Hoch J, Greinacher A:
Antigen-positive platelet transfusion in neonatal alloimmune thrombocytopenia (NAIT)
Blood 2006;**107**:3761-3763.